

INDEX MAPS.

T.3N R.2W 2nd Mer.

	147-158	147	158	157-158	157-158	157-159	157-159					
155	6	146	5	148	4	140	3	151	2	157	1	156
	148		146		148		142	142	149	151		150
155	7	145	8	145	9	140	10	142	11	136	12	150
	146		146		146		139		138		137	135
155	18	144	17	145	16	140	15	142	14	136	13	135
	138		138		138		137		137		137	
154	19	144	20	145	21	140	22	141	23	136	24	134
	133		133		133		134		134		134	
154	30	143	29	143	28	139	27	141	26	136	25	149
	134		134		133		133		137		149	
154	31	143	32	143	33	139	34	141	35	148	36	148
	153		153		153		152		152		152	

T.4N R.2W 2nd Mer.

	166	166	165-167	165-167	165-167	165-167	165-167					
169	6	186	5	187	4	188	3	189	2	190	1	164
	187		187		188		189		190	191		173
169	7	184	8	180	9	177	10	189	11	190	12	164
	186		184		183		180		181	189	177	172
169	18	183	17	180	16	177	15	177	14	172	13	164
	186		184		182		179		185	175	172	
168	19	182	20	179	21	185	22	175	23	171	24	164
	186		185		182		179		176	174	171	
168	30	182	29	178	28	176	27	174	26	171	25	163
	185		181		178		176		174		170-171	
168	31	181	32	178	33	175	34	173	35	170	36	163
	170-162		161-162		161-162		161-162		161-163		161-163	

Mcandrew 190

The figures on the lines refer to the page.

Township No. 3. North of Range No. 2 West 2nd Mer.

Ch. Sec.

West Between Sec. 21. & 28. T. No. 3 N.R. No. 277.
 40.00 Got a post for the cor. to 1/4 sec. from which a
 Tree 12 in dia. bears S. 60 W. 20 links dist; 10
 Do 30 " " " N 45 E 28 " "
 80.00 Introduced the Ad. Mine at the post set for the cor. to sec.
 20. 21. 28. & 29 Irish rate Buck and Oak Hills

West Between Sec. 20. & 29. T. No. 9 N.R. No. 277.
 40.00 Got a post for the cor. to 1/4 sec. from which a
 Tree 6 in dia bears N 67 E. 29 links dist; 10
 Do 11 " " " S 69 W 24 " "
 80.00 To the post set for the cor. to sec. 19. 20. 29. & 30.
 Lands 3rd rate Buck & Oak Hills

West Between Sec. 19 & 30 T. No. 9 N.R. No. 277.
 40.00 Got a post for the cor. to 1/4 sec. from which a
 Tree 10 in dia bears S 72 W. 16 links dist; 10
 Do 9 " " " S 20 E. 12 " "
 80.80 To Bartons post cor. to sec. 24 & 25. T. No. 3 N.R.
 No. 377. 3rd rate Buck & Oak Hills

West Between Sec. 27. & 34 T. No. 2 N.R. No. 277.
 40.00 Got a post for the cor. to 1/4 sec. from which a
 Tree 12 in dia bears N 3 E. 16 links dist; 10
 Do 10 " " " S 71 E. 17 " "
 80.00 To the post set for the cor. to sec. 27. 28. 33. & 34.
 Lands 3rd rate Buck & Oak Hills

West Between Sec. 28. & 33 T. No. 2 N.R. No. 277.
 40.00 Got a post for the cor. to 1/4 sec. from which a
 Tree 12 in dia bears N 63 E 15 links dist; 10
 Elm 6 " " " N 75 W 13 " "
 66.00 To a Run 15 links wide, between South.
 80.00 To the post set for the cor. to sec. 28. 29. 32. & 33.
 Lands poor Buck and Oak Hills
 T. No. 3 N.R. No. 277.

T. N. 3 N. R. N. 27. 2nd Mer (Sub. 1st)

West Between Sep. 29, 132 T. N. 3 N. R. N. 27.
 1.00 Trasmals Drain bearing South.
 40.00 Set a post for the cor. to 1/4 sec. from which a
 Beech 16 in dia bears N 25 W. 24 links dist; 10
 Ho Oak on a S 52 E. 14 on a
 80.00 To the post set for the cor. to sub. 29, 30, 31, & 32
 Lands 3rd rate; Beech & Oak Heille.

West On the town line between Sep. 30 & 31. T. N. 2 N. R.
 N. 27.
 40.00 Set a post for the cor. to 1/4 sec. from which a
 W Oak 8 in dia bears North 28 links dist; 1 on
 Elm 12 on a S 5 E. 15 on a
 80.70 To Bartus post set for the cor. to sub. 25 & 36. T. N.
 3. N. R. N. 37. Lands from barren Heille
 W Oak Brush Captains and trees.

West Between Sep. 24, 125 T. N. 3. N. R. N. 27.
 40.00 Marked the cor. to 1/4 sec. on a W Oak 16 in dia.
 80.00 To the post set for the cor. to sub. 23, 24, 25 & 26.
 Lands 3rd rate 1 Beech & Oak Heille.

West Between Sep. 23 & 26 T. N. 3 N. R. N. 27.
 40.00 Set a post for the cor. to 1/4 sec. Made the cor on a
 W Oak 12 in dia
 80.00 To the post set for the cor. to sub. 20, 23, 26 & 27.
 Lands 3rd 1 Beech & Oak Heille

West Between Sep. 22, 127. T. N. 3 N. R. N. 27.
 40.00 Set a post for the cor. to 1/4 sec. from which a
 Red Oak 16 in dia. bears N 41 E. 13 links dist; 10
 B. Oak 20 on a S 78 W. 30 on a
 80.00 To the post set for the cor. to sub. 21, 22, 27, & 28.
 Lands 3rd & 2nd rate 1 Beech & Oak Heille Lands

North On the East Boundary of sec. 24 T. N. 3 N. R. N. 27.

T. N. 3 N. R. N. 27. 2nd Sec. 1st Twp. S. 24.

34.28 Iron N. Oak 24 in dia. Stands in the line
 40.00 Set apart for the cor. to 1/4 sec. from which a
 Poplar 30 in dia. bears N 83 E. 21 miles with; 10
 Birch 6 in dia. N 57 W. 23 in
 37.65 Iron N. Oak 18 in dia. Stands in the line.
 80.00 Set apart for the cor. to Sec. 13 & 24. T. N. 3 N. R.
 N. 27. from which a
 Birch 6 in dia. bears N 29 W. 22 miles with; 10
 Ho 18 in dia. N 36 E. 32 in
 Lunds 2nd & 3rd rate Birch & Oak Uplands.

North On the East Boundary of Sec. 13 T. N. 3 N. R. N. 27.
 25.60 Top Birch 18 in dia. Stands in the line.
 40.00 Set apart for the cor. to 1/4 sec. from which a
 Gum 24 in dia. bears North 29 miles with; 10
 Logwood 6 in dia. N 8 E. 18 in
 63.30 Top Poplar 40 in dia. Stands in the line.
 80.00 Set apart for the cor. to Sec. 12 & 13. T. N. 3 N. R. N.
 27. from which a
 Birch 16 in dia. bears N 22 W. 50 miles with; 10
 N. Oak 18 in dia. N 76 E. 35 in
 2nd & 3rd rate Uplands Lunds Birch, Poplar &
 Oak

North On the East Boundary of Sec. 12 T. N. 3 N. R. N. 27.
 37.13 Top N. Oak 14 in dia. Stands in the line.
 40.00 Set apart for the cor. to 1/4 sec. from which a
 Birch 18 in dia. bears N 81 W. 27 miles with; 10
 Sugar 12 in dia. N 37 E. 28 in
 46.50 Introduced Freeman's line on to set apart at the Inter-
 section for the cor. to Sec. 12. from which a
 Birch 14 in dia. bears N 41 W. 26 miles with; 10
 Sugar 11 in dia. N 3 E. 16 in
 Lunds 2nd rate Uplands; Lunds Oak, Poplar, Birch
 and Sugar. T. N. 3 N. R. N. 27.

T. P. 3 N. R. No. 277. 2nd & 3rd Mer. (Ind. 2)

North Return Jul 25 & 26. T. P. 3 N. R. No. 277.
 25.00 Iron B. Oak 30 in dia stands in the line.
 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which
 W. Oak 12 in dia beam N117W. 36 links dist; to
 Beech 12 " " " S68E. 10 " "
 61.00 To a W. Oak 18 in dia stands in the line.
 80.00 Set a post for the cor. to sec. 23, 24, 25 & 26. From which
 a Beech 16 in dia beam N227W. 58 links dist; to
 Ho 11 " " " S88W. 43 " "
 Land 2nd & 3rd rate; Siding replant; Timber Poplar, Gum, Oak & Beech.

North Return Jul. 23 & 24 T. P. 3 N. R. No. 277.
 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which
 Hickory 30 in dia beam N65E. 5 links dist; to
 Dogwood 10 " " " S65W. 26 " "
 57.50 To a Beech 16 in dia stands in the line.
 80.00 Set a post for the cor. to sec. 13, 14, 23 & 24 from which
 a Dogwood 10 in dia beam N40E. 15 links dist; to
 W. Oak 30 " " " S43W. 18 " "
 2nd & 3rd rate Beech & Oak Hickory

North Return Jul. 13 & 14 T. P. 3 N. R. No. 277.
 21.50 To a Hickory 15 in dia stands in the line
 40.00 Marked the cor. to $\frac{1}{4}$ sec. in a Beech 10 in dia.
 56.45 To a Poplar 36 in dia stands in the line
 80.00 Set a post for the cor. to sec. 11, 12, 13 & 14 from which
 a Beech 14 in dia beam S78W. 37 links dist; to
 Ho 14 " " " N72E. 36 " "
 Land 1st & 2nd rate Hickory, Timber & Beech Oak
 and Poplar

North Return Jul. 11 & 12 T. P. 3 N. R. No. 277.
 25.18 To a Sugar 12 in dia stands in the line
 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which
 W. Oak 18 in dia beam S69E. 14 links dist; to

137

T. No 3 N.R. No 2 W. 2nd Mer (Sect. 1)

4430 W Oak 12 in dia below N10 E. 14 miles dist
 Intersected streamline line and set a post for the
 cor. to post. Sect. 11. + 12 from which a
 Beech 12 in dia below N68 W. 28 miles dist & a
 Maple 11 " " " S21 E. 31 " "
 First rate uplands; White Heron; Timber Beech -
 Sugar tree & Oak

West Between Sects 12 & 13. T. No 3 N.R. No 2 W.
 40.00 Set a post for the cor. to 1/4 sec. from which a
 Poplar 7 in dia below

80.00 Intersected the N.S. line at the post set for the cor.
 to Sect. 12 11 13. + 14; Thin uplands; a few Oak
 Beech & Poplar for timber

West Between Sect. 26 & 35. T. No 3 N.R. No 2 W.

40.00 Marked the cor. for the 1/4 sec. on a Gum 24 in dia

80.00 Intersected the N.S. line at the post set for the cor. to
 Sect. 25, 26, 35, & 36. 3rd rate uplands; Timber
 Beech Oak, Gum & Heron

West Between Sect. 13 & 24. T. No 3 N.R. No 2 W.

40.00 Set a post for the cor. to 1/4 sec. from which a
 Beech 12 in dia below N. 35 E. 15 miles dist & a
 W Oak 18 " " " N12 W. 16 " "

80.00 Intersected the N.S. line at the post set for the cor. to
 Sect. 13, 14, 23, & 24. Most of 3rd rate Hill lands.

West Between Sect. 14 & 23. T. No 3 N.R. No 2 W.

40.00 Set a post for the cor. to 1/4 sec. from which a
 Maple 10 in dia below S85 W. 36 miles dist; 10
 Beech 12 " " " N7 W. 30 " "

80.00 Intersected the N.S. line at the post set for the cor. to
 Sect. 14, 15, 22, & 23. 3rd rate Oak & Log cross uplands

West Between Sect 15 & 22. T. No 3 N.R. No 2 W.

J. N. 3 N.R. N. 27. 2nd & 3rd Sec. (Ind. 4)

40.00 Got a post for the cor. to $\frac{1}{4}$ sec. from which a
Beck 18 in dia. bore S31 W. 9 miles dist; to
do 20 " " " N80 W. 20 " " "

80.00 Intersected the N.S. line at the post set for the cor.
to Sec. 15, 16, 21 & 22. Land flat Oak ridge

West Between Sec. 16 & 21 J. N. 3 N.R. 27.

40.00 Got a post for the cor. to $\frac{1}{4}$ sec. from which a
Beck 6 in dia. bore N37 E. 17 miles dist; to
do 12 " " " S6 W. 24 " " "

80.00 Intersected the N.S. line at the post set for the cor. to
Sec. 16, 17, 20 & 21. 2nd & 3rd sec. into Beck & Oak hills

West Between Sec. 17 & 20. J. N. 3 N.R. N. 27.

40.00 Got a post for the cor. to $\frac{1}{4}$ sec. from which a
Beck 8 in dia. bore N36 W. 11 miles dist; to
Beck 6 " " " S48 E. 7 " " "

40.00 Iron Bore 5 miles out; locate West line kept
in the South side of D. creek $\frac{3}{4}$ of a mile.

80.00 Intersected the N.S. line at the post set for the cor.
to Sec. 16, 17, 24 & 21. 2nd & 3rd sec. into
Oak, Beck and Poplar.

West Between Sec. 18 & 19 J. N. 3 N.R. N. 27.

40.00 Marked the cor. to $\frac{1}{4}$ sec. on a Beck 10 in dia.

50.00 Iron bore 20 miles out; locate N.

80.00 Intersected the N.S. line at Barbours post cor.
to Sec. 13, 24 J. N. 3 N.R. N. 37.
Land mostly rich bottom; Iron, Beck & Oak

West Between Sec. 11 & 14 J. N. 3 N.R. N. 27.

40.00 Got a post for the cor. to $\frac{1}{4}$ sec. from which a
Beck 16 in dia bore N40 W. 20 miles dist to
do 14 " " " N69 E. 34 " " "

80.00 Intersected the N.S. line at the post set for the cor. to
Sec. 10, 11, 14 & 15 Land 2nd & 3rd sec. into Beck & Oak hills

I No 3 N.R. No 277 2nd rate Dur. Ind:

West Between Sep. 10. & 15 I No 3 N.R. No 277.
 10.50 In on Ash 20 miles min. hence st.
 40.00 Marked the cor. to 1/4 sec. on at Bush 20 in dia.
 80.00 Intersected the N. & S line at the first set for the cor.
 to Sep. 9. 10. 15 & 16. 3rd rate Bush Heiler

East Between Sep. 2 & 11. I No 3 N.R. No 277.
 40.00 Set a post for the cor. to 1/4 sec. from which a
 Bush 14 in dia hence S 50 E. 20 miles dia; r w
 No 23 n n n N 75 E. 54 n n
 65.00 Intersected Streamside line and set a post for the cor.
 to Sep. 2 & 11. from which a
 Bush 14 in dia. hence S 50 E. 20 miles dia; r w
 No 23 n n n N 75 E. 54 n n
 2nd rate; nplands; Smithey; Timita Bush Clarke

North Between Sep. 33 & 34 I No 3 N.R. No 277
 9.30 To get Bush 14 in dia. Straddle in the line.
 40.00 Set a post for the cor. to 1/4 sec. from which a
 Bush 15 in dia hence N 71 E. 10 miles dia; r w
 Sugar 8 n n n S 80 W. 21 n n
 61.20 To a West of Bush in dia. Straddle in the line
 80.00 Set a post for the cor. to Sep. 27. 28. 33. & 34. from which
 a Bush 14 in dia hence S 54 E. 30 miles dia; r w
 No 8 n n n N 55 E. 40 n n
 Lande line in flat ridges to 2nd rate.

North Between Sep. 27 & 28. I No 9 N.R. No 277.
 5.50 In on Ash 36 in dia. At cross in the line.
 40.00 Set a post for the cor. to 1/4 sec. from which a
 Bush 10 in dia hence S 51 E. 10 miles dia; r w
 N Oak 11 n n n N 70 W. 14 n n
 79.15 To a Bush 12 in dia. Straddle in the line.
 80.00 Set a post for the cor. to Sep. 21. 22. 27. & 28. from
 which a Bush 18 in dia hence N 82 E. 24 miles dia; r w
 20 cy marks 7 in dia hence S 23 E. 26 miles dia;

T. N. 3 N.R. N. 27. 2^d 46th Mer. (In d.°)

Some soil and timber same as the last mile

North Return Dec. 21. 120 T. N. 3 N.R. N. 27.
 28.50 To a Oak 24 in. dia stands in the line.
 40.00 Set a post for the cor. to 1/4 sec. from which
 a Beech 30 in dia. bears S 32 W 8 miles west to
 do 20 n n n N 32 E. 17 n n
 67.50 To a Beech 14 in dia stands in the line.
 80.00 Set a post for the cor. to sec. 15-16. 21. 82 3 from which
 a Beech 20 in dia. bears N 10 W 40 miles west to
 do 10 n n n S 56 E 32 n n
 Part of the land, timber soil &c same as last mile.

North Return Dec. 15 & 16. T. N. 3 N.R. N. 27.
 7.00 To a Sugar 18 in dia stands in the line
 40.00 Set a post for the cor. to 1/4 sec. from which
 a Beech 20 in dia bears S 56 E. 23 miles west to
 Logwood 7 n n n N 52 W 14 n n
 49.25 To a Beech 9 in dia stands in the line.
 80.00 Set a post for the cor. to sec. 9. 10. 15 & 16 & made cor. on
 a Beech 11 in dia. Some soil and timber same as
 on the last mile.

North Return Dec. 9. 110. T. N. 3 N.R. N. 27.
 32.00 To a Maple 18 in dia stands in the line
 40.00 Set a post for the cor. to 1/4 sec. from which
 a Oak 8 in dia. bears N 11 E. 8 miles west to
 do 32 n n n S 30 W. 9 n n
 46.50 To a Oak 8 in dia stands in the line.
 80.00 To a Beech 7 n n stands for the cor. to sec. 3 & 4.
 9 & 10. Part of the land, soil timber &c same as
 on the last mile. Dec. 18th

North Return Dec. 3 & 4. T. N. 3 N.R. N. 27.
 12.00 To a Elm 30 miles west; corner to
 15.50 To a Butte with 11 in dia stands in the line

T. N. 3. N. R. N. 27. 2nd Mer. (Sec. 4)

- 40.00 Get a post for the cor. to 1/4 sec. from which a
7th Oak 7 in dia. bears N31 E. 17 miles dist. to
do " " " " S10 W. 14 " "
- 50.70 Interspersed Spruce here and set a post for the
cor. to sec. 3. & 4. from which a
4th Beech 30 in dia. bears S45 W. 18 miles dist. to
Sugar " " " " N82 E. 25 " "
Lands soil and timber same as in the last mile

North Between Sec. 34 & 35 T. N. 3. N. R. N. 27.

- 40.00 Get a post for the cor. to 1/4 sec. from which a
7th Oak 20 in dia. bears S24 W. 11 miles dist. to
Sugar 8 " " " " N32 E. 13 " "
- 80.00 Get a post for the cor. to sec. 26, 27, 34 & 35 from which
a 7th Oak 18 in dia. bears S10 E. 4 miles dist. to
do " " " " N37 E. 28 " "
Lands hilly 3rd rate; Timber Oak & Log wood

North Between Sec. 26 & 27 T. N. 3. N. R. N. 27.

- 35.00 Iron Beech 24 in dia. stands in the line
- 40.00 Get a post for the cor. to 1/4 sec. from which a
7th Beech 8 in dia. stands S83 E. 13 miles dist. to
do 7 " " " " N69 W. 17 " "
- 65.80 Iron Oak 36 in dia. stands in the line
- 80.00 Iron Poplar 14 in dia. stands for the cor. to sec. 22,
23, 26 & 27 Lands hilly & 2nd rate; Timber Oak from
Beech; Poplar & c.

North Between Sec. 22, 23 T. N. 3. N. R. N. 27.

- 32.00 Iron Beech 18 in dia. stands in the line.
- 40.00 Get a post for the cor. to 1/4 sec. from which a
7th Beech - in dia. bears S47 E. 29 miles dist. to
Poplar 7 " " " " N26 W. 9 " "
- 80.00 Get a post for the cor. to sec. 14, 15, 22, & 23. from which
a 7th Beech 18 in dia. bears S60 W. 8 miles dist. to
do 10 " " " " S81 E. 24 " "

T. N. 3. N. R. N. 2 W. 2nd Mer. (Ind. 2)

Lands sold under timber license as in the last issue

-
- North Between Sep. 32. 1833. T. N. 3. N. R. N. 2 W.
40.00 Get a post for the cor. to 1/4 sec. from which a
43 Walnut 7 in dia. becom 419 E. 5 limbs dia; 1 w
Sassafras 7 u u u West 14 u u
 - 46.00 To a Gum 15 limbs dia; Corner East
 - 43.00 To a Sugar 17 in dia. Stands in the line.
 - 47.50 To a Gum 40 limbs dia; Corner 430 E.
 - 80.00 Get a post for the cor. to Sep. 28, 29, 33 & 32 from which
a Beech 8 in dia becom N 85 W 25 limbs dia; 1 w
Poplar 30 u u u N 28 E. 24 u u
Wilby 3rd rate lands; Some few Oaks

-
- North Between Sep. 28. & 29. T. N. 3. N. R. N. 2 W.
31.00 To a W Oak 36 in dia. Stands in the line.
 - 40.00 To a Gum 8 in dia becom South 15 limbs dia; 1 w
Beech 8 u u u S 85 W 11 u u
The above bearing stands for the cor. to 1/4 sec.
 - 67.00 To a Beech 12 in dia Stands in the line.
 - 80.00 Get a post for the cor. to Sep. 20. 21. 28. & 29. T. N. 3. N.
R. N. 2 W. from which a
Beech 11 in dia becom N 64 E. 13 limbs dia; 1 w
Hy u u u u S 13 W 8 u u
Wilby 3rd rate lands; Timber chiefly Oak.

-
- North Between Sep. 31. 1832. T. N. 3. N. R. N. 2 W.
26.00 To a W Oak 20 in dia Stands in the line.
 - 44.00 To a Sugar 8 u u u for the cor. to 1/4 sec.
 - 57.50 To a Gum 18 u u u in the line.
 - 80.00 Get a post for the cor. to Sep. 29. 30. 31. 1832. From which
a Poplar 8 in dia becom S 28 W. 24 limbs dia; 1 w
Do u u u u N 68 W. 33 u u
Wilby 3rd rate lands; Some few Oaks.

-
- North Between Sep. 30. 1839. T. N. 3. N. R. N. 2 W.

I No. 3. N.R. No. 27th 2nd Mer. (Sud.)

- 8.00 Log Beech 12 in dia Stands in the line.
 40.00 Let a post for the cor. to 74 sq. from which a
 Callafno 7 in dia. bears N47 E. 12 links dist; to
 Ironwork 7 " " " S15 W. 8 " " "
 54.50 Log Poplar 30 in dia Stands in the line.
 80.00 Let a post for the cor. to sec. 19, 20, 29, 30. I No.
 3. N.R. No. 27th from which a
 Beech 9 in dia bears N30 W. 23 links dist; to
 Poplar 36 " " " S17 E. 13 " " "
 Cando soil and timber same as with last one.

- North Return Sec. 20. & 29 I No. 3 N.R. No. 27th.
 13.00 Iron Run 30 links mid; corner N60 W.
 33.00 Log Beech 10 in dia. Stands in the line.
 40.00 Let a post for the cor. to 74 sq. from which a
 Beech 20 in dia Stands S69 E. 30 links dist; to
 Poplar 8 " " " N54 W. 19 " " "
 55.00 Log Beech 20 in dia Stands in the line.
 80.00 Let a post for the cor. to sec. 17, 18, 19, & 20. from which a
 Beech 12 in dia bears N30 W. 22 links dist; to
 Log 18 " " " S50 E. 11 " " "
 Cando soil and timber same as on the last one.
 Dec. 20th.

- North Return Sec. 17. & 18 I No. 3 N.R. No. 27th.
 4.50 Iron Run 50 links mid; corner W.
 17.80 " " Poplar 10 in dia Stands in the line.
 40.00 Let a post for the cor. to 74 sq. from which a
 Poplar 7 in dia bears S27 W. 25 links dist; to
 Beech 27 " " " N27 E. 15 " " "
 62.50 Iron McCalo 12 in dia Stands in the line.
 80.00 Let a post for the cor. to sec. 7, 8, 17, & 18 from which a
 Soft Maple 8 in dia bears N45 W. 15 links dist; to
 Beech 8 " " " S45 E. 17 " " "
 Heibly 2nd rate lands Timber clear same Beech
 I No. 3. N.R. No. 27th 2nd Mer. Sud.

T. N. 3. N. R. N. 27. 2nd Mer. (S. 2nd)

- North
40.50 Between Sec. 7 & 8 T. N. 3. N. R. N. 27.
Set a post for the cor. to 1/4 sec. From which a
Beech 11 in dia bears N 26 E. 5 links dist; to
Sawwood 7 in — S 26 W. 22 — —
53.50 In a Poplar 48 in dia. Stands on the line.
79.10 To a Beech 70 links dist; hence West.
80.00 Set a post for the cor. to Sec. 5, 6, 7, & 8. From which a
Beech 8 in dia bears N 28 W. 10 links dist; to
Do 12 in — — S 26 E. 19 — —
Cando soil contains same as on the last mile.

- North
40.50 Between Sec. 20 & 21. T. N. 3. N. R. N. 27.
Set a post for the cor. to 1/4 sec. From which a
W. Walnut 10 in dia bears N 48 E. 7 links dist; to
Beech 11 — — — S 22 W. 32 — —
69.50 In a Poplar 24 in dia. Stands on the line.
80.00 Set a post for the cor. to Sec. 16, 17, 20, & 21. From which
a Beech 12 in dia. bears N 37 W. 28 links dist; to
Do 10 — — — S 18 E. 10 — —
Cando soil contains same as on the last mile.

- North
13.00 To a good Spring morning off S 45 W.
36.25 To a Beech 11 in dia. Stands on the line.
40.50 Set a post for the cor. to 1/4 sec. From which a
Beech 11 in dia bears S 82 W. 10 links dist; to
66.00 To a Beech 18 in dia. Stands on the line.
80.00 Set a post for the cor. to Sec. 8, 9, 16, & 17. From which
a Sugar 8 in dia bears S 82 E. 10 links dist; to
Dogwood 7 in — — S 82 W. 15 — —
Cando soil contains same as on the last mile.

- North
31.35 Between Sec. 8 & 9. T. N. 3. N. R. N. 27.
To a Sugar 15 in dia. Stands on the line.
40.00 Set a post for the cor. to 1/4 sec. From which a
Poplar 8 in dia bears S 38 W. 9 links dist; to

I. N. 3 N.R. No. 277, 2nd Mer. (Sub. 4)

Ho - in die bene N 14 W. 23. hanks mits
 47.75 Iron Works 18 in die stonde in the line
 80.00 To the post for the cor. to sed. 4. 5. 8. 9 from which
 a Sugar 9 in die bene N 17 E. 23 hanks mits; to
 Ho 7 n n n S 4 E. 16 n n n
 Sande soil ando tinte same as in the last mile

West Between Sed. 5 & 8. I. N. 3. N.R. No. 277.
 40.50 To the post for the cor. to 1/4 sec. From which a
 Sugar 9 in die bene S 69 E. 28 hanks mits; to
 Beech 12 n n n N 45 W. 8 n n n
 51.00 Iron Works 50 hanks mits; same S 86 W.
 80.00 To the post for the cor. to sed. 5. 6. 7 & 8.
 Sande soil ando tinte same as in the last mile

West Between Sed. 9 & 16. I. N.
 40.00 Iron Works 10 in die stonde for the cor. to 1/4 sec.
 80.00 To the post for the cor. to sed. 8. 9. 16. & 17.
 Heilly 2nd rate; Tintu Oak & some Beech.

West Between Sed. 8. & 17. I. N. 3. N. R.
 40.00 Iron Works 6 in die stonde for the cor. to 1/4 sec.
 80.00 n n the post for the cor. to sed. 7. 8. 17. & 18.
 Sande soil ando tinte same as in the last mile.
 See 21st.

West Between Sed. 7. & 18. I. N. 3. N. R. No. 277.
 40.00 To the post for the cor. to 1/4 sec. From which a
 Dogwoods. 7 in die bene S 57 W. 7 hanks mits; to
 Beech 20 n n n N 71 E. 41 n n n
 80.00 To the post for the cor. to sed. 12 & 13. I. N. 3. N. R.
 No. 377. Sande soil ando tinte same as in the last
 1/2 mile. Full 26 hanks N. of the post

North Between Sed. 5 & 6. I. N. 3. N. R. No. 377.
 7.00 Iron Works 50 hanks mits; same N. 20 W.

D. N. 3 N. W. No 27. 2nd Mer. Ind. 147

- 10.00 To a W Oak 24 in dia stands in the line
40.00 To a Poplar 5 in dia stands for the cor. to 1/4 sec.
49.00 To a Birch 50 timber measure since N. W.
52.00 To a W Oak 24 in dia stands in the line.
80.00 To the section the N. W. corner of T. N. 3 N. R. No 27.
at the post set for the cor. to Sec. 31 & 32 T. N. 4 N.
R. No 27. From which a
Substrant 8 in dia bears S 82 E. 5 timber cast 10
to 7 a a - N 82 W 5 a -
Sands soil and timber same as on the last mile.

-
- N 72 W From the post on Freeman's line bears to Sec. 4 & 5
16.00 to a post cor. to Sec. 5 & 6. T. S. 314 N. R. No 27.
Sands Willy and good soil; Timber Birch Oak
and Poplar.

- N 72 W From the above post
66.50 To post set for the cor. to Sec. 31 & 32.

-
- N 72 W From the above post.
83.80 To the post set for the cor. to Sec. 31 in Range line
between Ranges 2 & 3.

-
- East Between Sec. 32.15 & T. S. 314 N. R. No 27.
40.00 To a Birch 11 in dia stands for the cor. to 1/4 sec.
64.00 To a post on Freeman's line cor. to Sec. 32. T. N. 4
N. R. No 27. & Sec. 5 T. N. 3 N. R. No 27. From
which a Birch 10 in dia bears S 60 E 19 timber cast;
and a Sugar 16 a a - N 60 W. 23 a a -
Sands soil and timber same as on the last mile.

-
- West Between Sec. 31. T. N. 4 N. R. 27 & Sec. 6. T. N. 3 N.
R. No 27.
40.00 To a Birch 8 in dia stands for the cor. to 1/4 sec.
80.39 To the post set for the cor. to Sec. T. S. 314 N. R. No 2
& T. S. 314 N. R. No 27. Sands soil & timber same

T. N. 3 N.R. N. 27. 2nd Mer. Ind.

North Between Sec. 4 & 5 T. N. 3 N.R. N. 27.
 10.00 To a Run 50 links across West
 40.00 To a Run 8 in dia. Stands for the cor. to 1/4 sec.
 79.00 Set a post in Run and line for the ^{cor.} 4 & 5. From
 which a W Oak 12 in dia. base S 42 E 18 links with
 under 10.48 n e e N 35 49.12 n e
 Kelly 2nd rate land Timber Oak & Beech.

West Et. Between Sec. 4 & 9. T. N. 3 N.R. N. 27.
 3.00 To a Run 50 links wide; across West.
 40.00 To a Run 18 in dia. Stands for the cor. to 1/4 sec.
 85.50 To a Run 50 links wide; ^{across} at 45 49.12
 80.00 Set a post for the cor. to Sec. 4 & 5. 8 7 9.
 Land Kelly Beech, Oak, etc. 2nd rate;

West Between Sec. 6 & 7. T. N. 3 N.R. N. 27.
 2.00 To a Run 50 links wide; across NW 1/4.
 40.00 Set a post for the cor. to 1/4 sec. from which a
 Beech 12 in dia. base N 30 E 21 links with; to
 10 n e e East 30 n e
 80.00 To the post set for the cor. to Sec. 6 & 7.
 Land Kelly & Timber Beech, Oak, etc. 2nd rate.

North Between Sec. 35 & 36. T. N. 3 N.R. N. 27.
 40.00 Set a post for the cor. to 1/4 sec. from which a
 W Oak 15 in dia. base South 12 links with; to
 Run 20 n e e N 59 E 22 n e
 53.60 To a Poplar 30 in dia. Stands in the line.
 80.20 Set a post for the cor. to Sec. 25, 26, 35 & 36. T. N. 3
 N.R. N. 3 77. from which a
 Beech 16 in dia. base N 57 77. 28 links with; to
 W Walnuts 10 n e e N 47 77. 22 n e
 Land 3rd rate; Kelly Oak &c.

North On the East Boundary of Sec. 36. T. N. 3 N.R. N. 27.
 31.50 To a W Oak 36 in dia. Stands in the line.

I N^o 3 M R N^o 277 2nd Mer. Ind^o

40.00 To a Buck 12 in dia. Struck in the line.
 49.00 To a W. Oak 18 in dia. Struck in the line.
 80.00 Set a post for the cor. to sed. 25 & 36. I N^o 3 M R N^o 277. From which a Sugar 8 in dia. band \$30 77.22 the dist; and a Poplar 7 in dia. band \$19 77.13 wide dist. Land 2nd rate Hills Timber Oak, Some Poplar, Sugar, 43 Walnut &c

North On the East Boundary of cor. 25 I N^o 3 M R N^o 277.
 30.50 To a W. Oak 18 in dia. Struck in the line.
 40.00 Set a post for the cor. to 1/4 Sec. From which a W. Walnut 7 in dia. band \$11 E. 18 wide dist. and a Sassafras 7 in dia. band \$16 77.14 wide dist.
 73.00 To a B. Oak. 36 in dia. Struck in the line.
 80.00 Set a post for the cor. to sed. 24 & 25 from which a Sugar 12 in dia. band \$10 E. 16 wide dist, & a W. Oak 12 in dia. band \$7 77.30 wide dist. Land his inflor. 2nd rate Hill lands

West Between Sed. 25 & 36. I N^o 3 M R N^o 277.
 40.00 Set a post for the cor. to 1/4 Sec. From which a Buck 18 in dia. band \$78 E. 20 wide dist; & a Sugar 10 in dia. band \$66 77.27 wide dist.
 80.00 To the post set for the cor. to sed. 25, 26. 35 & 36. Land Hill 2nd rate; Timber Oak, & Some Buck &c.

Freeman's Line

Westerly On Freeman's Line from the post set for the cor. to Sed. 7 in Range N^o 1 & Sed. 12 in Range N^o 2 77.
 84.50 To the post set for the cor. to sed. 11 & 12.

N 71 30' W From the above post.
 16.00 To the post set for the cor. to sed. 2 & 11. I N^o 3 M R N^o 277

N 71 30' W From the above post.
 68.10 To the post set for the cor. to sed. 2 & 3. I N^o 3 M R N^o 277.

I N^o 3 N.R. N^o 277. 2nd Mer (Ind.^o)N 71 $\frac{1}{2}$ W From the above post84.75 To the post set for the cor. to sec. 3 & 4. I N^o 3 N.R. 277.N 71 $\frac{1}{2}$ W From the above post

84.67 To the post set for the cor. to sec. 4 & 5.

Surveyed by
C. J. Spencer & Stone.North Between Sec. 11. & 12 I N^o 3 N.R. N^o 277.

39.00 To a Brook 10 miles wide; Course West

40.00 To the post set for the cor. to $\frac{1}{4}$ sec.80.00 Set a post for the cor. to sec. 1, 2, 11, 12. I N^o 3 N.R.N^o 277. 2nd Mer from which a

bearing 6 in dia bears S 50 E. 4 miles dist; to

Well 8 " " " S 81 W. 15 " "

This mile over Hilley lands; Timber Oak, Poplar, &c

East On a N. & S. line between Sec. 1 & 12. I N^o 3 N.
N^o 277.

27.00 To a Brook 10 miles wide; Course South.

40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.80.00 In the section the N. & S. line 104 miles South of the
post set for the cor. to sec. 1 & 12.

Sand & red muds timber same as in the last mile.

West On the true line between Sec. 1 & 12 I N^o 3 N.R. N^o 277

41.00 Set the temporary post at the cor. dist on the true line

for the cor. to $\frac{1}{4}$ sec. from which a

bearing 10 in dia bears S 80 W. 12 miles dist; to

Well 9 " " " North 17 " "

82.04 To the post set for the cor. to sec. 1, 2, 11, & 12

North Between Sec. 3 & 4 I N^o 3 N.R. N^o 277.40.00 Set a post for the cor. to $\frac{1}{4}$ sec. coincides with the
old $\frac{1}{4}$ sec. cor.

151

I. N. 3 N.R. N. 277. 2nd & 3rd Mer. (S. & W.)

79.78 Intersected the N. & S. Boundary of I. N. 3 N.R. N. 277
 480 yards West of the post set for the cor. to S. 34.
 33. & 34 I. N. 4 N.R. N. 277. and set a post for
 the cor. to S. 34. from which a
 Poplar 8 in. dia. bears S 48 E. 8 miles due; &
 Do. 9 in. " " N 38 E. 13 " "
 Over very hilly lands; Timber Beech, Oak, & Hickory

North Between S. 3 & 2. I. N. 3 N.R. N. 277.
 40.00 Set a post for the cor. to S. 1/4 sec. from which a
 W. Oak 20 in. dia. bears East 8 miles due;
 81.50 Intersected the N. Boundary of I. N. 3 N.R. N. 277.
 350 yards West of the post set for the cor. to S. 34
 & 35. I. N. 4 N.R. N. 277. and set a post for the cor.
 to S. 2 & 3. from which a
 Beech 12 in. dia. bears S 45 W. 18 miles due; and a
 Do. 15 in. " " N 4 W. 17 " "
 Very Hilly Lands;

West On a Random line between S. 2 & 11. I. N. 3 N.R.
 N. 277.
 40.00 Set a temp. post for the cor. to S. 1/4 sec.
 82.18 Intersected the N. & S. line 166 yards N. of the post set
 for the cor. to S. 2, 3, 10, 11.
 Lands soil and timber same as in the last mile.

East On the true line between S. 2 & 11. I. N. 3 N.R. N. 277.
 2nd & 3rd Mer.
 41.09 Set the temp. post at the corner with the true line for
 the cor. to 1/4 sec. from which a
 Walnut 6 in. dia. bears S 77 W. 6 miles due; &
 Elm 6 in. " " N 26 W. 7 " "
 82.18 Set the post set for the cor. to S. 1, 2, 11, & 12.

North Between S. 1 & 2 I. N. 3 N.R. N. 277.
 1.10 Set a W. Oak 20 in. dia. stands on the line.

T. N. 3 N. R. N. 27. 2nd Mer. (Ind. 2)

- 28.00 Toak Brook 10 links wide; Lemma West
 40.00 Got the first spr for the cor. to $\frac{1}{4}$ sec. from which
 W. Oak 20 in. dia. bears S59E. 13 links wide; 10
 W. Oak 20 in. dia. bears S44E. 43 in. dia.
 79.40 Intersected the S. Boundary of T. N. 3 N. R. N. 27.
 197 links West of the first spr for the cor. to Sec. 35 & 36
 T. N. 4 N. R. N. 27. and set a post for the cor. to sec.
 1 & 2. From which a
 Hickory 10 in. dia. bears S41E. 25 links wide; 1 in.
 Logwood, 6 in. dia. bears N41W. 17 in. dia.
 I made pits and found same as on the last one.

Surveyed by
 Arthur Hennig, D.S.
 South Boundary.

- West On the South Boundary of Sec. 36. T. N. 3. N. R. N.
 27. 2nd Mer.
 40.00 Marked the cor. to $\frac{1}{4}$ sec. on a W. Oak 20 in. dia.
 80.00 Got a post for the cor. to Sec. 35 & 36 T. N. 3. N. R.
 N. 27. From which a
 Sugar 10 in. dia. bears N43E. 13 links wide; 8 in.
 Beech 13 in. dia. bears S80W. 35 in. dia.
 I ran to N. 4 of 2nd Mer. (Ind. 2); Splendo; Linden Beech & Oak
-
- West On the South Boundary of Sec. 35 T. N. 3 N. R. N. 27
 24.00 Toak Beech 8 in. dia. stands in the line.
 40.00 Marked the $\frac{1}{4}$ sec. on a Beech
 80.00 Got a post for the cor. to Sec. 34 & 35 T. N. 3. N. R.
 N. 27. From which a
 W. Oak 8 in. dia. bears S57W. 15 links wide; 1 in.
 Ironwood 7 in. dia. bears N49E. 14 in. dia.
 Poor Hilly land; Linden Beech & Oak
-
- West On the South Boundary of Sec. 34. T. N. 3. N. R. N.
 27. 2nd Mer.
 40.00 Got a post for the cor. to $\frac{1}{4}$ sec. from which a

T. No 3. N. H. No 2. W. 2nd Mer. (Sud.)

Red Oak 16 in dia beam N 65 E. 9 knots dist; to
 Beech 12 n n n N 11 E. 9 n n n
 80.00 Set apart for the cor. to Sec. 33. & 34 T. No 3 N.
 H. No 2 W. from which a
 Beech 7 in dia beam N 84 E. 21 knots dist; to
 Do 18 n n n S 42 W. 18 n n n
 Last 1/4 down all rain 4 knots wide; mid; 3rd rate; Healthy Ground; Timber Beech & Oak,
 T. Random fall 125 knots North of the post.
 Dec 13th.

West On the South Boundary of Sec. 33. T. No 3. N. H.
 No 2 W.

40.00 Set apart for the cor. to 1/4 Sec. from which a
 Beech 10 in. dia beam N 71 W. 17 knots dist; to
 Do 7 n n n S 7 E. 17 n n n

80.00 Set apart for the cor. to Sec. 32. & 33. T. No 3. N. H.
 No 2 W. 2nd Mer. Sud. from which a
 Beech 13 in. dia beam N 45 E. 8 knots dist; to
 Do 7 n n n S 7 E. 18 n n n
 no description of Land or Soil & Timber

West On the South Boundary of Sec. 32 T. No 3. N.
 H. No 2 W.

40.00 Set apart for the cor. to 1/4 Sec. from which a
 Poplar 8 in. dia beam S 82 W. 25 knots dist; to

80.00 Set apart for the cor. to Sec. 31. & 32 T. No 3 N. H. No
 2 W. 2nd Mer. from which a
 Gum 24 in. dia beam N 79 E. 4 knots dist; to
 B. Oak 7 n n n S 79 W. — 3rd rate

West On the South Boundary of Sec 31. T. No 3 N. H. No 2 W.

40.00 Set apart for the cor. to 1/4 Sec. from which an
 Elm 8 in. dia beam S 52 W. 10 knots dist; to
 Beech 11 n n n N 52 E. 10 n n n

80.00 To the post set for the cor. to Sec. 31. 36. T. No 3. 2.2. N. 2 W.

I N^o 3 N.R. N^o 27. 2nd Mer (Sud.)

West Boundary.

North On the East Boundary of Sec. 36 T. N^o 3. N.R. N^o 37. 2nd Mer.
 1.75 To a Birch 12 in dia. stands in the line
 3.17 To an Elm 10 in dia. stands in the line
 28.34 To a Birch 14 in dia. stands in the line
 31.00 To a large bundle standing in the line
 40.00 To a Birch 17 in dia. stands for the cor. to 1/4 sec.
 80.00 Full 10 miles East of the Random post and below
 post for the cor. to Sec. 25 & 36. T. N^o 3. N.R. N^o 37.
 From which a W. Oak 17 in dia. bears S 84^o W. 47
 miles dist; to Sugar 10 in dia. N 52^o E. 27.
 To a Birch all killed by fire; much more about

North On the East Boundary of Sec. 25 T. N^o 3. N.R. N^o 37.
 14.30 To a Birch 18 in dia. bears in the line
 29.48 To a Sugar 14 in dia. stands in the line
 40.00 Set a post for the cor. to 1/4 sec. From which a
 Sugar 14 in dia. bears S 71^o E. 21 miles dist; to
 Dogwood 8 in dia. N 16^o E. 8 in dia.
 42.30 To a Sugar 16 in dia. stands in the line.
 80.00 Set a post for the cor. to Sec. 24 & 25 T. N^o 3. N.R. N^o 37.
 From which an
 Elm 8 in dia. bears N 39^o W. 17 miles dist; to
 Do 8 in dia. S 48^o E. 8 in dia.

North On the East Boundary of Sec. 24 T. N^o 3. N.R. N^o 37.
 12.93 To a Birch 10 in dia. stands in the line
 40.00 Set a post for the cor. to 1/4 sec. From which a
 W. Walnut 10 in dia. bears S 5^o W. 22 miles dist; to
 Poplar 5 in dia. N 12^o W. 13 in dia.
 43.02 To a Birch 10 in dia. stands in the line.
 53.82 To a Birch 16 in dia. stands in the line.
 80.00 Full 50 miles East and 20 miles South of the Random
 post and set a post for the cor. to Sec. 13 & 24
 T. N^o 3. N.R. N^o 27. From which a

D. No. 3 N.R. No. 277, 2nd Mer. (Ind.)

Sugar 10 in. dia beam S9 E. 6 links dist; to
 Beech 17 " " " N22 W 40 " "
 Lands steep hills; inequalities of soil; Timber
 Beech, Oak &c.

North On the East Boundary of Sec. 13. T. N. 3 N. R. No. 377.
 5.00 To a Beech 50 links wide; Corner West
 10.45 To a Sugar 12 in. dia St. woods in the line.
 31.56 To a W. Oak 30 " " " " " "
 40.00 Set a post for the cor. to 1/4 sec. From which a
 W. Oak 18 in. dia beam S20 E. 30 links dist; to
 Do 18 " " " N69 W 36 " "
 49.72 To a Beech 24 in. dia beam in the line
 52.00 To a Brook 14 links wide; Corner S.W.
 67.74 To a Gum 16 in. dia St. woods in the line.
 80.00 Set a post for the cor. to 1/4 sec. 12 & 13. T. N. 3 N. R. No. 377.
 From which a Beech 12 in. dia beam S46 E. 18
 links dist; to W. Oak 24 " " " N65 W 18
 " " Lands hilly; soil unequal; Timber
 Beech Oak &c.

North On the East Boundary of Sec. 12 T. N. 3 N. R. No. 377.
 15.65 To a Beech 10 in. dia St. woods in the line.
 40.00 Set a post for the cor. to 1/4 sec. From which a
 Beech 14 in. dia beam S80 E. 20 links dist; to
 Do 7 " " " N54 W. 13 " "
 41.25 To a Beech 17 in. dia St. woods in the line.
 66.54 To a W. Oak 24 " " " " " "
 80.00 Set a post for the cor. to sec. 1 & 12. From which a
 Beech 6 in. dia beam S80 W. 8 links dist; to
 Sugar 16 " " " N50 E. 16 " "
 Good soil of hilly lands; Timber Oak, Beech,
 Sugar &c &c.

North On the East Boundary of Sec. 1. T. N. 3 N. R. No. 377.
 13.50 To a Brook 50 links wide; Corner West

T. N. 3. N. R. N. 27. 2nd Mer. (Ind. 4)

- 14.54 To a Beech 22 in dia stands in the line
 31. 10 n y W Oak 20 a n a n a n a n
 40. 00 Lot apart for the cor. to $\frac{1}{4}$ sec. from which a
 Logwood 7 in. dia bears N70 W. 15 hnds dist
 W. Oak 9 n a n N88 E. 29 n a
 Beech bottom in the North side; Kerak.
 44. 10 To a Poplar 40 in dia stands in the line.
 80. 00 Lot apart for the cor. to Towne 3rd 4. N. R. range
 2nd 3rd W. from which a
 Beech 16 in dia bears N42 W. 20 hnds dist to
 Mulberry 8 n a n S56 E. 26 a n
 Kelly Lunde; goods soil; Timber Beech, Oak, Poplar

East Boundary.

In Harvins Purchase

- North From the cor. to lot. 12. & 13. T. N. 3. N. R. N. 27.
 on the East Boundary of lot. 12.
 40. 00 To the first lot for the cor. to $\frac{1}{4}$ sec.
 80. 00 Lot apart for the cor. to lot. 1. & 10. T. N. 3. N. R. N. 27.
 from which a Logwood 6 in dia bears S46 E. 16 hds
 dist; under Beech 10 n a n N6 E. 16 n
 this side over Kelly Lunde; Timber Beech, Oak,
 Ketch. 7 c. undergrowth Spic, Dogwood, &
 Callafras etc

- North On the East Boundary of lot. N. 1. T. N. 3. N. R.
 N. 27.
 40. 00 Lot apart for the cor. to $\frac{1}{4}$ sec. from which a
 Logwood 6 in dia bears N22 E. 5 hnds dist to
 Logwood 6 n a n S10 E. 25 n a
 80. 00 Lot apart for the cor. to lot. 1. 6. 31. 36. T. N. 3. 1 & 4.
 on N. 1. & 2. W. from which a

T. N. 3. N. R. N. 2. W. 2nd 1/2 Min (Sec. 4)

81.10 Set the temporary post for the cor. to sec. 31. 132 T. N. 4. N. R. N. 2. W.

84.50 Set the true line and the timber line. as on the last mile
Full South of the cor. to sec. 31. 132 T. N. 4. N. R. N. 2. W.

East On the true line from the cor. to sec. 31. 132 T. N. 4. N. R. N. 2. W. in 6.00 Var.

4.50 Set post at the exact distance of 5 miles from the East Boundary of the Township for the cor. to sec. 31. 132 T. N. 4. N. R. N. 2. W. from which a
W. 1/4 20 in dia bears N 10 E. 60 links dist; to
Post 20 on a N 55 E 10 on a

East On the true line on the South Boundary of sec. 32 T. N. 4. N. R. N. 2. W.

40.00 Set the temporary post on the true line for the cor. to 1/4
Sec from which a
Post 20 in dia bears S 27 W. 27 links dist; to
W. 1/4 20 on a S 54 W 31 on a

81.00 Set a post for the cor. to sec. 32. 133. T. N. 4. N. R. N. 2. W. and make the cor. to sec. 31. 132.
on a line 10 in dia.

East On the true line on the South Boundary of sec. 33. T. N. 4. N. R. N. 2. W.

40.00 Set a post for the cor. to 1/4 sec. on the true line from which
a Post 28 in dia. bears S 23 W. 43 links dist; to
Sugar 12 on a N 1 W 8 on a

81.00 Set a post for the cor. to sec. 33. 134. T. N. 4. N. R. N. 2. W.
N. 2. W. from which a
Logwood 6 in dia bears N 57 E 10 links dist; to
Rs 6 on a S 74 W 10 on a

East On the true line on the South Boundary of sec. 34. T. N. 4. N. R. N. 2. W.

T. N. 3 N. R. N. 27. 2nd Mer (Ind. 4)

- 40.00 Set a post for the cor. to 1/4 sec. from which a
Beck 10 in. dia. beam S 32 W 15 links dist; 10
W Oak 24 n n n N 11 W 22 n n
- 80.00 Set a post on the town line for cor. to Sec. 34 & 35 T. N. 4
N. R. N. 27. from which a
Beck 10 in. dia. beam S 62 E. 37 links dist; 10
Do 6 n n n N 6 W 18 n n

- East On the town line on the South Boundary of sec. 35 T. N. 4
N. R. N. 27.
- 40.00 Set a post for the cor. to 1/4 sec. on the town line from which
a Beck 10 in. dia. beam N 50 E 28 links dist; 10
W Walnut 6 n n n S 10 W 20 n n
- 80.00 To a sugar 20 in. dia. stand for the cor. to Sec 35 & 36 T. N.
T. N. 4 N. R. N. 27.

- East On the South Boundary of sec 36 T. N. 4 N. R. N. 27
- 40.00 Set a post for the cor. to 1/4 sec. from which a
W Oak 10 in. dia. beam S 76 E. 32 links dist; 10
Sugar 8 n n n N 14 E. 14 n n
- 80.00 To the post set for the cor. to Towns 33 & 44 N. R. 11 T. N.
Surveyed by
Arthur W. Harris. Depy. Sur.

I certify that the foregoing transcript of the
field notes of Township N. 3. north of Range
N. 2 West of the 2nd Mer. Indiana has been
compared with the original notes in this Office and
to be correct;

Surveyor General's Office,
Cincinnati, Dec. 30th 1839.

W. S. Peaine
Sur. Genl.